WU9: Math 150, Spring 2023

Tuesday, 2/14/23

Your Name:

Names of people you worked with:

Task: The Heart and Estrogen/progestin Replacement Study (HERS) is a randomized, double-blind, placebocontrolled trial designed to test the efficacy and safety of estrogen plus progestin therapy for prevention of recurrent coronary heart disease (CHD) events in women. Below are two logistic regressions which aim to model whether the individuals had a pre-existing medical condition (other than CHD, self reported), medcond, using (here) the variables age and diabetes.

glm(medcond ~ age + diabetes, data = HERS, family="binomial") %>% tidy()

```
## # A tibble: 3 x 5
##
     term
                 estimate std.error statistic
                                                     p.value
##
     <chr>
                     <dbl>
                               <dbl>
                                          < dhl >
                                                       <dbl>
## 1 (Intercept)
                  -1.89
                             0.408
                                          -4.64 0.0000349
## 2 age
                    0.0185
                             0.00603
                                           3.07 0.00217
## 3 diabetes
                    0.487
                             0.0882
                                           5.52 0.000000330
glm(medcond ~ age*diabetes, data = HERS, family="binomial") %>% tidy()
## # A tibble: 4 x 5
##
     term
                   estimate std.error statistic
                                                     p.value
                      <dbl>
                                <dbl>
                                                       <dbl>
##
     <chr>
                                           <dbl>
## 1 (Intercept)
                                           -5.26 0.000000141
                    -2.52
                              0.478
## 2 age
                     0.0278
                              0.00707
                                            3.93 0.0000844
## 3 diabetes
                     2.83
                              0.914
                                            3.10 0.00192
## 4 age:diabetes -0.0354
                              0.0137
                                           -2.58 0.00986
```

- 1. Terrible holiday: yes or no?
- 2. Is it easier to get probabilities or odds from the logistic model output?
- 3. Find the following odds ratio = odds of having a medical condition for those with diabetes (coded as 1) as compared to the odds of having a medical condition for those without diabetes (coded as 0) under three different settings:
 - a. Use the additive model with age and diabetes.
 - b. Use the model where age and diabetes interact for someone who is 50 years old.
 - c. Use the model where age and diabetes interact for someone who is 70 years old.
 - d. Using the OR values, does it seem that age and diabetes interact in predicting medcond? Explain.

Solution:

- a. OR = $e^{0.487} = 1.6274266$
- b. OR = $e^{2.835 0.0354 \cdot 50} = 2.900839$
- c. OR = $e^{2.835 0.0354 \cdot 70} = 1.4290359$
- d. Although the full conclusion should probably use p-values¹ or confidence bounds, the change in OR from 2.9 to 1.4 across a 20 year age span indicates that **age** and **diabetes** do interact.

¹note, the p-value in the interaction model is definitely significant at 0.0098, indicating interaction